

CASTLEMAINE FLORAPLANT RECORDSADIANTACEAE (Ferns)

-*Cheilanthes tenuifolia* Rock fern

ASpleniacEAE (Ferns)

*Asplenium flabellifolium* Necklace fern  
*Pleurocoris rutifolius* Blanket fern

CUPRESSACEAE (Cypress -pine family)

+*Callitris endlicheri* Black Cypress-pine

PINACEAE (Pine family)

-*Pinus radiata* Monterey pine

GRAMINEAE (Grass family)

- <i>Bromus maxima</i>	Shell grass	C	All	KG	a
- <i>B. minor</i>	Shivery grass	C	All	KS	b
<i>Poa australis</i>	Tussock grass	C	All	KS	b
- <i>Aira caryophyllea</i>	Silvery Hair grass	C	All	K	b
<i>Stipa semibarbata</i>	Fibrous Spear grass	C	A	KM	c
<i>Themeda australis</i>	Kangaroo grass	C	A	KM	c
- <i>Festuca pratensis</i>	Meadow fescue	C	EP	AP	c
- <i>Cynodon dactylon</i>	Couch grass	C	EP	AP	c

CYPERACEAE (Sedge family)

<i>Cyperus tenellus</i>	Delicate leaf rush	C	A	K	a
<i>Schoenus apogon</i>	Fluke bog-rush	C	All	KM	a
- <i>Cyperus eragrostis</i>	Umbrella sedge	L	EG	P	a

CENTROLEPIDACEAE (Centrolepis family)

- <i>Centrolepis strigosa</i>	Hairy centrolepis	C	A	KP	a
-------------------------------	-------------------	---	---	----	---

JUNCACEAE (Rushes)

<i>Iuzula campestris</i>	Field wood-rush	C	All	KP	a
<i>Juncus radula</i>	Scraper rush	C	A	K	a
<i>J. capitatus</i>	Capitate rush	C	A	K	a
<i>J. prismatocarpus</i>	Branching rush	C	A	KP	a
- <i>J. acutus</i>	Spiny rush	S	A	KP	a

LILIACEAE (Lily family)

<i>Lomandra filiformis</i>	Wattle mat-rush	C	All	KP	a
<i>L. multiflora</i>	Many-flowered mat-rush	S	A	KM	a
<i>Caesia vittata</i>	Blue grass-lily	S	E	KM	a
<i>Tricoryne elatior</i>	Yellow autumn-lily	R	EJK	IK	a
<i>Dichopogon strictus</i>	Chocolate lily	C	All	KS	a
<i>Arthropodium minus</i>	Small vanilla-lily	C	A	ES	a
<i>Thysanotus patersonii</i>	Twining fringe-lily	C	A	KM	a
<i>Bulbine bulbosa</i>	Bulbine lily	C	A	KS	a
<i>Dianella revoluta</i>	Spreading flax-lily	C	All	KM	a
<i>D. laevis</i>	Pale flax-lily	S	EP	KM	a
<i>Anguillaria dioica</i>	Nearly Nancy	S	A	KS	a
<i>Burchardia umbellata</i>	Milkmaids	C	A	KS	a

IRIDACEAE (Iris family)

-*Romulea longifolia* Onion Grass

Area		Obs	
C	F	P	e
S	A	KS	
R	A	KS	f

HYPOTHYACERAE (Yellow Star family)

*Hypoxis glabella* Yellow star  
*H. hockeri* Tiny star

ORCHIDACEAE (Orchid family)

<i>Thelymitra aristata</i>	Scented sun-orchid	C	All
<i>T. ixioides</i>	Dotted sun-orchid	L	A
<i>T. rubra</i>	Salmon sun-orchid	S	A
<i>T. antennifera</i>	Rabbit ears	R	A
<i>Calochilus robertsonii</i>	Brown beards	S	AJ
<i>Diuris maculata</i>	Leopard orchid	C	Ali
<i>D. pedunculata</i>	Golden moths	C	A
<i>D. sulphurea</i>	Tiger orchid	R	D
<i>Microtis uniflora</i>	Common onion orchid	C	AKJ
<i>Prasophyllum nigricans</i>	Dark leek-orchid	R	AFD
<i>P. odoratum</i>	Sweet leek-orchid	R	A
<i>P. despectans</i>	Sharp midge-orchid	R	A
<i>Eriochilus cucatus</i>	Parson's bands	R	HC
<i>Hyperanthus nigricans</i>	Red Beaks	R	F
<i>Caladenia dilatata</i>	Greencomb spider-orchid	C	All
<i>C. patersonii</i> (var <i>concolor</i> )	Common spider-orchid	R	A
<i>C. carnea</i>	Pink fingers	C	All
<i>C. caerulea</i>	Blue caladenia	R	B
<i>C. cucullata</i>	Hooded caladenia	S	D
<i>C. angustata</i>	Musky caladenia	S	A
<i>Glossodia major</i>	Wax-lip orchid	C	All
<i>Pterostylis parviflora</i>	Tiny greenhood	S	A
<i>P. revoluta</i>	Autumn greenhood	R	AC
<i>P. ramosa</i>	Dwarf greenhood	C	A
<i>P. nutans</i>	Nodding Greenhood	C	A
<i>P. curta</i>	Blunt greenhood	C	A
<i>P. longifolia</i>	Tall greenhood	S	AC
<i>P. plurosa</i>	Bearded greenhood	R	A

CASUARIINACEAE (Sheoak Family)

*Casuarina stricta* Drooping sheoak

R	AFK	KS	*
---	-----	----	---

PROTEACEAE (Protea family)

<i>Persoonia rigida</i>	Stiff geebung	R	C
<i>Grevillea alpina</i>	Mountain grevillea	C	ACEJ
<i>Hakea cericea</i>	Silky hakea	S	AFGHJ
+ <i>H. laurina</i>	Pincushion hakea	R	AHK

KS	KM	KM	

g\*

SANTALACEAE (Sandalwood family)

*Exocarpus cupressiformis* Cherry Ballart

S	AFGHJ	KM	*
---	-------	----	---

LORANTHACEAE (Mistletoe family)

<i>Amyema quandong</i>	Grey mistletoe	R	ED
<i>A. miquellii</i>	Box mistletoe	C	ADEFGHJ
<i>A. pendulum</i>	Drooping mistletoe	R	A
<i>A. preissii</i>	Wiry mistletoe	R	D

KM	KM	KM	

\* i j

POLYGONACEAE (Dock family)

- <i>Acetosa vulgaris</i>	Sorrell	R	GFF	P	K
- <i>Rumex crispus</i>	Curled dock	R	FF	P	
<i>R. brownii</i>	Slender dock	R	FF	P	
- <i>Polygonum aviculare</i>	Wireweed	R	FF	P	
- <i>Polygonum prostratum</i>	Creeping knotweed	R	FF	P	

CHENOPodiaceae (Saltbush family)

Rhagodia nutans	Nodding saltbush	R	AEM	HM	*
- <i>Chenopodium pumilio</i>	Clanny goosefoot	R	E	P	
- <i>Atriplex hastata</i>	Hastate orache	L	E	P	

AMARANTHACEAE (Amaranth family)

- <i>Amaranthus hybridus</i>	Spleen amaranth	R	E	P	
------------------------------	-----------------	---	---	---	--

AIZOACEAE (Pigface family)

- <i>Carpobrotus aequilaterus</i>	Angled pigface	R	A	P	
-----------------------------------	----------------	---	---	---	--

CARYOPHYLLACEAE (Chickweed family)

- <i>Sagina apetala</i>	Common pearlwort	C	A	XP	
- <i>Petrerhagia velutina</i>	Hairy pink	CH	E	XP	
- <i>Stellaria media</i>	Chick weed	R	A	XP	
<i>Spergularia media</i>	Coast sand-spurry	SL	E	XP	
<i>S. rubra</i>	Sand spurry	S	E	XP	

RANUNCULACEAE (Buttercup family)

- <i>Ranunculus lappaceus</i>	Australian buttercup	L	A	HM	
<i>R. sessiliflorus</i>	Small-flowered buttercup	R	A	HM	

LAURACEAE (Laurel family)

- <i>Cassytha glabella</i>	Tangled dodder-laurel	R	C	S	
----------------------------	-----------------------	---	---	---	--

FUMARIACEAE (Fumitory family)

- <i>Fumaria bastardii</i>	Fumitory	L	GK	P	
----------------------------	----------	---	----	---	--

CRUCIFERAE (Cabbage family)

- <i>Sisymbrium officinale</i>	Hedge mustard	R	FF	P	
- <i>Diplotaxis tenuifolia</i>	Sand rocket	R	FF	P	
- <i>Lepidium hyssopifolium</i>	Peppergrass	S	FF	P	

DROSERACEAE (Sundew family)

<i>Drosera planchonii</i>	Climbing sundew	C	AGHJ	KS	*
<i>D. curiculata</i>	Errienellum	C	A	KS	
<i>D. peltata</i>	Pale sundew	S	AE	KS	*
<i>D. glanduligera</i>	Scarlet sundew	R	A	KS	
<i>D. whittakeri</i>	Scented sundew	C	AFJK	KS	*

CRASSULACEAE (Crassula family)

<i>Crassula sieberana</i>	Austral stonecrop	C	AFM	HM	*
<i>C. macrantha</i>	Rufous stonecrop	C	AF	HM	*
<i>C. colcrata</i>	Dense stonecrop	S	A	HM	

ERICACEAE (Ericaceae family)		C	All	KS	
<i>Saxetrichus ciliata</i>	Black-eyed Susan				
PITTOSPORACEAE (Pittosporum family)					
<i>Pittosporum procumbens</i>	White marianth	G	All	KM	
<i>Bursaria spinosa</i>	Sweet bursaria	C	All	KM	
ROSACEAE (Rose family)					
- <i>Cotoneaster</i> sp	Cotoneaster	L	G	P	
- <i>Crataegus monogyna</i>	Hawthorn	S	E	KM	
- <i>Rosa rubiginosa</i>	Sweet briar	R	G	P	
- <i>Rubus fruticosus</i>	Blackberry	S	AEGF	P	
<i>R. ulmifolia</i>	Sheep's burr	C	AEGFK	KP	a
<i>R. coriacea</i>	Bidgee-widgee	R	G	P	*
MIMOSACEAE (Wattle family)					
<i>Acacia genistifolia</i>	Spreading wattle	C	All	KM	n
<i>A. aculeata</i>	Rough wattle	C	All	KM	o
<i>A. paradoxa</i>	Hedge wattle	C	ADEFJ	KS	p*
<i>A. gummifera</i>	Ploughshare wattle	R	ATG	KS	
<i>A. acinacifolia</i>	Gold-dust wattle	C	All	KS	
<i>A. pycnantha</i>	Golden wattle	C	All	KS	
<i>A. retinodes</i>	Wirilda	C	AFGHIJK	KM	*
<i>A. lanigera</i>	Woolly wattle	R	A	K	q
<i>A. implexa</i>	Lightwood	R	A	KM	
<i>A. salignana</i>	Cootamundra wattle	S	ADEFGH	KM	*r
<i>A. melanoxylon</i>	Blackwood	R	F (JK)	P	
- <i>A. decurrens</i>	Early black wattle	S	AEJ	KM	*
<i>A. mearnsii</i>	Late black wattle	R	J	P	s
<i>A. dealbata</i>	Silver wattle	S	ADEFH	KM	
PAPILIONACEAE (Pea family)					
<i>Compholobium hispidum</i>	Karella	S	ACF	KM	t*
<i>Davallia virgata</i>	Narrow-leaf bitter pea	C	All	KM	u
<i>D. solieriifolia</i>	Gorse bitter pea	C	All	KM	
<i>Pultenaea pedunculata</i>	Knotted bush-pea	R	E	KP	
<i>P. longiflora</i>	Twiggy bush-pea	C	All	KM	
<i>P. laxiflora</i>	Loose-flowered bush-pea	R	C	P	
<i>Dillwynia sericea</i>	Showy parrot-pea	C	All	KM	
<i>D. cincinnata</i>	Grey parrot-pea	R	AEJ	KP	*
<i>Bossiaea prostrata</i>	Creeping bossiaeae	R	A	KM	
<i>Hovea heterophylla</i>	Common hovea	C	All	KS	v
- <i>Grevillea laurifolia</i>	Pick-leaf broom	L	PK	P	
- <i>G. nonspiculata</i>	Montpellier broom	L	EF	P	
- <i>G. euphorbioides</i>	Gorse	S	AEGFJ	KS	*
- <i>T. europaeus</i>	Hop clover	S	AEF	KP	*
- <i>T. campestre</i>	Hare's foot clover	S	AEJ	KP	*
- <i>T. urticae</i>	Cluster clover	R	K	P	
- <i>T. glomeratum</i>	Austral indigo	S	ACEJ	KM	*
<i>Indigofera australis</i>	Common vetch	S	AFG	KM	*
- <i>Vicia sativa</i>	Tiny vetch	S	AE	KM	*
- <i>V. sativa</i>	Angular pea	S	APEK	KP	*
- <i>Lathyrus angulatus</i>	Sweet pea	L	F	P	
- <i>L. odoratus</i>	Running postman	R	E	KS	
<i>Kennedia prostrata</i>	Purple coral-pea	C	All	KS	
<i> Hardenbergia violacea</i>	Alfalfa	R	P	P	
- <i>Medicago sativa</i>	Tree lucerne	R	G	P	
- <i>Chamaecytisus proliferus</i>					

GERANIACEAE (Geranium family)

<i>Pelargonium rodneyanum</i>	Magenta stork's bill	C	ADGHIJ	KM	*
<i>P. australe</i>	Austral stork's bill	S	A	K	
<i>Geranium solanderi</i>	Austral crane's bill	S	A	KP	
<i>G. retrorsum</i>	Crane's bill	R	F	P	

OXALIDACEAE (Oxalis family)

- <i>Oxalis pes-caprae</i>	Sourscob	R	HII	P	
<i>O. corniculata</i>	Yellow wood-sorrel	S	AGHFE	KM	*

RUTACEAE (Boronia family)

<i>Eriostemon verrucosus</i>	Fairy wax	C	All	KS	
<i>Correa reflexa</i>	Common correia	R	H	KS	

EUPHORBIACEAE (Euphorbia family)

- <i>Euphorbia peplus</i>	Petty spurge	R	EFH	P	
---------------------------	--------------	---	-----	---	--

STACKHOUSIACEAE (Stackhousia family)

<i>Stackhousia monogyna</i>	Candles	S	ADK	KS	*
-----------------------------	---------	---	-----	----	---

SAPINDACEAE (Hop-bush family)

<i>Dodonaea angustissima</i>	Narrow-leaf hop-bush	L	JK	KP	VW
------------------------------	----------------------	---	----	----	----

RHAMNACEAE (Pomaderris family)

<i>Cryptandra amara</i>	Bitter cryptandra	R	A	KM	
-------------------------	-------------------	---	---	----	--

MALVACEAE (Hibiscus family)

- <i>Modiola caroliniana</i>	Red-flowered mallow	L	E	P	
------------------------------	---------------------	---	---	---	--

DILLENIACEAE (Guinea-flower family)

<i>Hibbertia stricta</i>	Erect guinea flower	R	A	K	Q
<i>H. exutiaces</i>	Tangled guinea-flower	R	AF	P	X

HYPERICACEAE (Hypericum family)

<i>Hypericum gramineum</i>	Small St John's wort	R	A	K	
----------------------------	----------------------	---	---	---	--

THYMELAEAE (Daphne family)

<i>Pimelea curviflora</i>	Curved rice-flower	R	A	KM	V
<i>P. humilis</i>	Common rice-flower	C	All	KS	
<i>P. linifolia</i>	Nodding rice-flower	C	All	P	y

MYRTACEAE (Myrtle family)

<i>Eucalyptus camaldulensis</i>	River red-gum	R	F	P	
<i>E. macrorhyncha</i>	Red stringybark	C	ADPJ	KS	*
<i>E. leucoxylon</i>	Yellow gum	S	AF	KM	*
<i>E. goniocalyx</i>	Long-leaf box	C	All	KM	*
<i>E. melliodora</i>	Yellow box	S	ADEF	KM	*
<i>E. microcarpa</i>	Grey box	C	ADEFJ	KM	*v
<i>E. polyanthemos</i>	Red box	C	All	KM	*
<i>Calytrix tetragona</i>	Fringe myrtle.	R	AEF	KS	*
+ <i>Melaleuca decussata</i>	Totem poles	L	G	P	

LYTHRACEAE (Loose-strife family)

-*Lythrum hyssopifolia* Small loose-strife

NAME  
SES

R	G	P
---	---	---

MALVACEAE (Raspwort family)

-*Halteria tetragyna* Common raspwort

C	All	KM
---	-----	----

UMBELLIFERAE (Parsley family)

Hydrocotyle laxiflora	Stinking pennywort	C	ADK	KM	*
-H. callicarpa	Small pennywort	C	AG	KP	*v
H. foveolata	Yellow pennywort	C	A	P	
Daucus glochidiatus	Austral carrot	C	ACK	KM	*
Bryngium rostratum	Blue devil	R	F	P	

EPACRIDACEAE (Heath family)

Astroloma hunifusum	Cranberry heath	C	All	KS	
Melichrus urceolatus	Urn heath	S	A	KS	z
Aerotricha serrulata	Honey pots	S	All	KS	
Brachyloma daphnoides	Daphne heath	C	All	KS	

ERICACEAE (Rhododendron family)

-*Erica lusitanica* Spanish heath

R	G	P
---	---	---

PRIMULACEAE (Primrose family)

-*Anagallis arvensis* Scarlet pimpernel

R	E	P
---	---	---

GENTIANACEAE (Gentian family)

Schizocarpovata	Yellow sebaea	C	A	KP	
-Centaureum tenuiflorum	Centaury	C	A	K	a'
-C. erythraea	Common centaury	C	AG	P	a'
-Cicindela quadrangulensis	Square cicenda	S	A	KP	b
-C. filiformis	Slender cicenda	S	A	P	

CONVOLVULACEAE (Convolvulus family)

-*Convolvulus arvensis* Common bindweed

R	F	P
---	---	---

SCROPHULARIACEAE (Veronica family)

-Verbascum virgatum	Twiggy mullein	R	F	P	
Veronica plebeia	Trailing speedwell	R	A	KP	
-V. calycina	Hairy speedwell	R	A	P	
-Parentucellia latifolia	Common bartsia	C	AEFG	KP	*

LAMIACEAE (Mint family)

Prostanthera denticulata	Rough mint bush	C	AC	KS	
-Nerita spicata	Spearmint	R	EF	P	
-Salvia verbenaca	Wild sage	R	EF	P	
-Horehound	Horehound	R	F	P	

PLANTAGINACEAE (Plantain family)

Plantago varia	Variable plantain	S.	AEF	KP	*v
-P. lanceolata	Ribwort	C	EFG	P	
-P. coronopus	Buck's-horn plantain	L	E	P	

RUBIACEAE (Coprosma family)					
<i>Opercularia varia</i>	Variable stinkweed	C S C	ACG A AEFGK	KP P KM	*
<i>Asperula conferta</i>	Common woodruff			P	
<i>Galium gaudichaudii</i>	Rough bedstraw			KM	*
CAMPANULACEAE (Bluebell family)					
<i>Wahlenbergia stricta</i>	Tall bluebell	C R	All G	KS P	C
<i>W. quadrifida</i>	Sprawling bluebell				
GOODENIACEAE (Goodenia family)					
<i>Velleia paradoxa</i>	Spur velleia	R C	AJ All	KM KS	*
<i>Goodenia sp.</i>	Primrose goodenia				
BRUNONIACEAE (Blue pincushion family)					
<i>Brunonia australis</i>	Blue pincushion	C	ABGJ	KS	*
STYLEDIACEAE (Trigger plant family)					
<i>Stylium graminifolium</i>	Grass trigger-plant	C S S	All A ACEGK	KS P KM	*
<i>S. despectum</i>	Small trigger plant			P	
<i>Levenhookia dubia</i>	Hairy stylewort			KM	*t
COMPOSITAE (Daisy family)					
<i>Brachycome perpusilla</i>	Rayless daisy	S	A	KP	
<i>Vittadenia triloba</i>	New Holland daisy	S	AE	K	
<i>V. cuneata</i>	Woolly New Holland d'y	R	E	P	
<i>Stuartina muelleri</i>	Spoon cudweed	S	AE	KM	
<i>Gnaphalium indutum</i>	Tiny cudweed	S	A	P	
<i>G. candidissimum</i>	White cudweed	R	EG	P	
<i>Cassinia arcuata</i>	Chinese tea scrub	C	All	KS	
<i>Helipterum pygmaeum</i>	Pigmy sunray		A	K	
<i>H. australe</i>	Common sunray	S	AFGJK	KP	*
<i>Helichrysum apiculatum</i>	Common everlasting	S	AF	KS	*
<i>H. semipapposum</i>	Clustered everlasting	S	A	KM	
<i>H. viscosum</i>	Golden everlasting	S	AFHJK	YS	*d
<i>H. obcordatum</i>	Grey everlasting	C	All	KS	
<i>Leptorhynchus squamatus</i>	Scaly buttons	C	AFGHJK	KM	*
<i>L. tenuifolius</i>	Wiry buttons	C	AEFGJK	KP	
<i>L. elongatus</i>	Tall buttons	R	A	P	
<i>Millotia tenuifolia</i>	Soft millotia	C	A	KP	
<i>Putidosis multiflora</i>	Small wrinklewort	C	A	KP	
<i>Toxanthus muelleri</i>	Common bow flower	R	A	KM	
<i>Pedolepis jaceiodes</i>	Showy podolepis	R	AEP	KM	*
<i>Inula graveolens</i>	Stink weed	L	AE	P	
<i>Calocephalus citreus</i>	Lemon beauty heads	P	EP	P	
<i>Craspedia glauca</i>	Common billy buttons	C	AEP	KS	*
<i>Senecio quadridentatus</i>	Cotton fireweed	C	AG	KM	*
<i>-Chrysanthemooides monilifera</i>	Boneseed	S	EKH	P	
<i>-Arctotheca calendula</i>	Cape weed	L	AEP	P	
<i>Cymbonotus preissianus</i>	Austral bear's ear	R	K	P	
<i>Microseris scapigera</i>	Yam daisy	C	All	KM	
<i>-Hypochoeris radicata</i>	Flat weed	C	AEFGH	P	
<i>-H. glabra</i>	Smooth cat's ear	C	AD	P	
<i>-Sonchus oleraceus</i>	Sow thistle	L	EF	P	
<i>-S. asper</i>	Rough sow thistle	R	A	P	
<i>-Lactuca serriolata</i>	Prickly lettuce	R	E	P	
<i>-Cirsium vulgare</i>	Spear thistle	R	F	P	

This list is based on the "Flora of Northern Idaho" prepared by L. D. Baskett in about 1978. It was based on his own records and those over many years of Mr. F. Taylor, Mr. P. G. Dunn and members of Sandige FNC.

#### CODES

- a Shrub
- b Not native to this area, but apparently regenerating.

#### SCIENTIFIC NAME

#### COMMON NAME

#### DISTRIBUTION

a Scattered

b Rare

c Common

d Localized

#### SCIENTIFIC NAMES

None above the December 1978 list, listed first, and one person who has seen it. None, plants added since the original list can be determined.

e Plants on the original Kaliuna list

f Mrs. R. Miller

g Mr. S. B. Singleton

h Dept. of Agriculture, Perito

i Mr. G. Broadway

j Mr. B. Parklee

#### SCIENTIFIC NAMES

k Localities increased since Kaliuna list.

l This is a composite name and is no longer valid

m Toxic

n syn P. elatior

o syn Arthropodium strictum

p syn N. rosae

q syn P. barbata

r The Kaliuna list listed two forms. The plants in Kaliuna are variable.

s syn H. bracteatum

t Listed on original list as common. I have been able to find a single specimen only.

u Parasitic on A. quondong

v syn Cusick coccinea

w Not listed as common

x syn Marlothia procumbens

y Acaena williamsii was listed for K. It is probably planted.

z syn A. diffusa

aa syn A. usneoides

bb Confirmation of this was not available.

r Hybrid, x hybrids occur in K and f

s Possibly planted

t Originally listed as rare

u *Taraxia genistifolia*, R, A removed from list

v Originally listed as scattered

w Probably planted; original list

gave P. canescens

x Original list included H, precurvata, R, A.

y Original list included P. glauca.

z Originally listed as Common, all areas.

a' C tenuefolium-C. pulchellum; C erythræa

- C minus. These are confusing species.

b' Originally listed as Common.

c' Originally listed as "Schleswigia" sp., common, A.B.

#### KALIUNA PARK - CASTLEHARVE

